IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial Not 09/787,806

Files: January 22, 2001

Inventor : Kenneth Smith.

Title: Method Of Morntaining Integrity

Of An Instruction Or Data Set

Altorney

Docket Number: 10001436-1

Group Art Unit: 2527

Examiner: B. Hoffman

October 1, 2004

DECLARATION UNDER 37 C.F.R. § 1.131.

- Kermeth Smith, make the following declaration.
- If any line inventor of subject matter claimed in the above captioned patent application
- The claimed subject matter was conceived before December 24, 1999 as documented in the Invention Disclosure No. 10001436 I submitted in December 1999. A copy of the invention Disclosure No. 10001436 is attached to this Declaration as Exhibit A.

I declare that all statements made in this Declaration of my own knowledge are true and that all statements made on information and belief are believed to be true, and conner that these statements were made with the knowledge that willfulfalse stationisms and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the patent application or any patent issued on that application.

Date Kenneth Smith

Declaration of Kenneth Smith. Serial No. 09:797.606

PACKAND	INVENT	ION DIS.	LOSURE				PAGE ONE OF 4	
	PONO	1000 1	436	DATE RCVD	12-14-9	9	ATTORNEY LGM TSW	
Instructions: The information contained in this document is COMPANY CONFIDENTIAL and may not be disclosed to others without prior authorization. Submit this disclosure to the HP Legal Department as soon as possible. No patent protection is possible until a patent application is authorized, prepared, and submitted to the Government.								
Descriptive Title			de set from male	-laur av unhalundi	onal modification.	(CadaQafa)		
Al appears to	hacent mi na	MONTANT OF CI	AS SEL AUNG CIMA			(Courses)	RECEIVED	
Name of Project:							DEC 1 4 1999	
Kingfisher Product Name or Kingfisher	Number:						I.P. BOISE LEGAL	
Was a description	of the invention	n published, o	r are you planning	to publish? If so, t	he date(s) and public	cation(s):		
NO Was a product including the invention announced, offered for sale, sold, or is such activity proposed? If so, the date(s) and location(s): Yes, Kingfisher products should reach market sometime in 2002								
Was the invention disclosed to anyone outside of HP, or will such disclosure occur? If so, the date(s) and name(s):								
	If any of the abov	o liw snobaula e	cur within 3 months, ca	ull your IP allotting or its	e Legal Department now	at 1-896-4919 or 9	70-898-4919.	
			her record? If so, p	please identify (lab	book #, etc.)			
Yes, Ken Smith L								
Was the invention	built or tested!	? If so, the dat	b :					
No								
Was this invention made under a government contract? If so, the agency and contract number:								
No			· · · · · · · · · · · · · · · · · · ·					
Description of Inv					dditional pages for ti	he following. E	ach additional page should	
be signed and dated by the inventor(s) and witness(es). A. Prior solutions and their disadvantages (if available, attach copies of product literature, technical articles, patents, etc.).								
	s solved by the		d has been done b			-		
	Advantages of the Invention over what has been done before. Description of the construction and operation of the invention (include appropriate schematic, block, & timing diagrams; drawings; samples;							
graphs; flowcharts; computer listings; test results; etc.) Signature of Inventor(a): Pursuant to my (our) employment agreement, I (we) submit this disclosure on this date: [12/13/1999].								
Signature of Inve	ntor(a): Pursi	ant to my (our) employment agn	noment, i (we) subi	nit this disclosure on	this date: [1	2/13/1999].	
358885	Kannath Smith		hat f. W		398-5062	: 534	ISW/Lab	
Employee No.	Name	7	Signat		Teinet	Malistop	Entity & Lab Name	
Employee No.	Name		Signate		Toinet	Malitico	Entity & Lab Name	
Employee No.	Name		Signatu	ne .	Tolinet	Maistop	Entity & Lab Name	
Émployee No.	Name (If mo	re Ihan four Invent	Signatu ora, include additional		Tainet	Mailstop of to Sils documen	Entity & Lab Name	

Form 3.1 IDF.DOC Rev. 10/25/99



MACKAGO INVENTION DISCLOSURE	COMPANY CONFIDE		€_Z_ OF_4_
Signature of Witness(es): (Please by to obtain the signature of the pers		99 1	•
The invention was first explained to, and understood by, me (us) (Full Name Signal			of Signature
			-
Full Name Signal	ource goanson	Date	12-13-99 of Signature
Vendy Lynn Zerza (1	densy you		413/99
Inventor & Home Address Information: (If more than four inventors,	include addi. information on a copy of this fo	omn & attach to this docume	w)
kwentor's Full Name Kenneth Kay Smith			
Street 11776 W. Rader Dr.	,	_	
City Boise		State Idahp	Zip 83713
Do you have a Residential P.O. Address? P.D. BOX	City	State	Zbρ
Greeted as (nickneme, middle name, etc.) Ken	Cilizenship U.S.		
leventor's Full Name) 		
Street		 	·
City		State	Ζφ
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zip
Grooted as (sichname, mittile name, etc.)	Citizenship		
Inventor's Full Name			
Street			
CNy		State	Zlp
Do you have a Residential P.O. Address? P.O. BOX	City	State	Z tp
Grosted as (nickname, middle reams, etc.)	Citizanahip		
trventor's Full Name			
Street			***************************************
Cly	· · · · · · · · · · · · · · · · · · ·	State	Ζip
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zlp
Greeted as (nickname, middle name, etc.)	Citizoriship		

Form 3.1 IDF.DOC Rev. 10/25/99

3/4 K.K.S.

Additional Information for CodeSafe

Invention Description:

An apparatus to protect an instruction or data set from malicious or unintentional modification. (CodeSafe)

 Prior solutions and their disadvantages (if available, attach copies of product literature, technical articles, patents, etc.).

When a system utilizes modifiable memory (most typically FLASH), the memory can be modified by the system at any time. The typical solution to ensure that an "update" is performed correctly is to run an error control code (an example is to use a Cyclic Redundancy Code or CRC). This works fairly well to ensure within reasonable probability that the code image downloaded to the machine matched the original. However, there is no protection from a malicious modification or even an unintentional modification.

Problems solved by the invention.

This invention solves the problem of malicious modification. It also solves the problem of unintentional modification.

C. Advantages of the invention over what has been done before.

By utilizing a hardware defined one-way function, the code loaded into the machine can be known with far greater probability to be a "correct" image. Also, a malicious modification of the code is not allowed. The one-way function is kept as a company secret, and the function is never revealed through operation of the machine — therefore it cannot be duplicated. Unintentional modification of the code is protected in the same manner.

 Description of the construction and operation of the invention (include appropriate schematic, block, & timing diagrams; drawings; samples; graphs; flowcharts; computer listings; test results; etc.)

Detailed description of the invention:

There are two ways in which this invention could be implemented:

Implementation A:

The system is comprised of three major elements:

- 1- Modifiable Memory
- 2- Memory Controller Mechanism
- 3- Microprocessor

The information loaded into the modifiable memory will be called the "image" and "key".

When a software developer generates a new image, the developer runs the image through a "one-way function", thus creating the key. This one-way function is kept company secret.

The Memory controller contains the same one-way function as the software developer.

Before any instructions are passed to the microprocessor, the memory controller mechanism reads in the entire image, processes the one-way function on the image, and compares the resultant key with the key stored in the modifiable memory. If these keys fail to match, then some "safe" set of code is exsecuted which would request a new image be loaded into the machine, and warn the operator of possible malicious

4/4 K.K.S.

modification to the machine's instruction set. This safe code could exist as either non-modifiable MASK ROM, or as a block of the modifiable memory which has been hardware protected to not allow modification.

Implementation B:

The system is comprised of three major elements:

- 1- Modifiable Memory
- 2- Memory Controller Mechanism
- On-chip non-modifiable memory
- 4 Microprocessor

Similar to implementation A, the Information loaded into the modifiable memory will be called the "image" and "key".

When a software developer generates a new image, the developer runs the image through a "one-way function", thus creating the key. This one-way function is kept company secret. In this implementation, however, the memory controller contains a special purpose processor whose algorithm is contained in the on-chip non-modifiable memory. The algorithm in this memory is not accessible to the main microprocessor. This algorithm implements the same one-way function as the software developer.

Before any instructions are passed to the microprocessor, the memory controller's special purpose processor reads in the entire image, processes the one-way function on the image, and compares the resultant key with the key stored in the modifiable memory. If these keys fail to match, then some "safe" set of code is executed which would request a new image be loaded into the machine, and warn the operator of possible malicious modification to the machine's instruction set. This safe code could exist as either non-modifiable MASK ROM, or as a block of the modifiable memory which has been hardware protected to not allow modification.

The advantage of implementation B over implementation A is that the algorithm for the one-way function could be very complex. Therefore a complete hardware implementation of such could be costly. The difficulty with implementation B is that the special purpose processor must not allow any of the instructions issued to it be allowed outside of the integrated circuit, or else the integrity of the one-way function would be compromised.

For a nice description of how the RSA team implemented a one-way function, please visit the Internet site:

http://www.orst.edu/dept/honors/makmur/

p. 14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No: 09/767,606) Attorney
Filed: January 22, 2001) Docket Number: 10001436-1
Inventor: Kenneth Smith) Group Art Unit: 2136
) RECEIVED) Examiner: B. Hoffman CENTRAL FAX CENTER
Title: Method Of Maintaining Integrity Of An Instruction Or Data Set	OCT 0 4 2004
)
)

October 4, 2004

DECLARATION UNDER 37 C.F.R. § 1.131

- I, Steven R. Ormiston, make the following declaration.
- 1. I am a registered patent attorney representing Hewlett-Packard Company. From about April 2000 until August 2002 I served as the Outsourcing Manager for HP's patent department at the HP site in Boise, Idaho. During that time, I was responsible for managing the assignment to outside counsel and the filing of hundreds of patent applications each year based on invention disclosures generated by inventors at the Boise site.
- 2. The pre-filing documents evidencing some of the events described below and ordinarily maintained by HP were destroyed when the hardcopy file for the above captioned patent application was recently scanned into an electronic file and then discarded.
- 3. The following events occurred in this case between the time the Invention Disclosure document was submitted by the inventor and the time the application was filed, just as they did in every case processed by HP in the early 2000s.

The Invention Disclosure was reviewed by an HP patent review committee and approved for filing a patent application.

The inventor was notified of the committee's decision and that the case would be assigned to an outside patent attorney for preparing the patent application.

Declaration of Steven Ormiston Serial No. 09/767,606 A Request for Quote was sent to an outside patent attorney along with the Invention Disclosure requesting that the attorney submit a quote for the cost to prepare a patent application for the invention.

Steve Ormiston

The outside patent attorney's quote was reviewed by HP in-house counsel and, when it was found to be acceptable, a contract was awarded to the outside patent attorney to prepare the patent application.

The outside patent attorney interviewed the inventor, prepared a first draft patent application and submitted the first draft to the inventor for review.

The inventor reviewed the first draft patent application and returned it to the outside patent attorney with comments and changes, if any.

The outside patent attorney revised the patent application and submitted a second draft patent application to the inventor for review.

The inventor approved the second draft patent application (or made comments and changes, in which case the draft/review process was repeated).

The outside patent attorney submitted the inventor approved draft patent application to HP legal for review.

An in-house HP patent attorney reviewed the inventor approved draft patent application and approved the application for filing (or returned the application to the outside patent attorney with comments and changes, in which case the review process was repeated).

Once the patent application was approved by HP legal, the Declaration was prepared and the inventor signature obtained and then the application was filed with the U.S. Patent Office.

I declare that all statements made in this Declaration of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the patent application or any patent issued on that application.

Date

Steven R. Ormiston, Reg. No. 35,974

Declaration of Steven Ormiston Serial No. 09/767,606

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

U OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.